

# Nestable and Rackable Shipping Pallet

PP48x40-18A

Black



## Technical Data

Product	Bottom support	Top deck	Dimensions			Load Capacity <sup>1</sup>			Weight	Material	Entry	Safety rim	Nesting height
			Length	Width	Height	Static	Dynamic	Racking					
PP48x40-18A	3 runners	Open	48.0 in	40.0 in	5.0 in	6 000 lbs	3 000 lbs	2 700 lbs	22.0 lbs	Recycled HDPE	4 Ways	-	-
			1219 mm	1016 mm	127 mm	2 700 kg	1 350 kg	1 200 kg	10.0 kg			-	-

## Additional Information

### Main Features<sup>2</sup>

#### Space Saver

Nestable when stored. Rackable when storing goods.

#### High performance

Excellent capacity-to-weight ratio.

#### Exportation

Exempt from Nimp 15 standards. Minimizes the loss of space in ISO containers.

### Norms

ISO Dimensions<sup>3</sup>:

EPAL<sup>3</sup> Dimensions:

GMA<sup>3</sup> Dimensions:

NIMP 15:

FDA<sup>4</sup>:

## SDI Packaging

Solutions • Development • Innovation

10310 Ray-Lawson

Anjou, QC H1J 1M1, Canada

514 352-3939

1 866 533-3939

[sdipackaging.com](http://sdipackaging.com)

[solutions@sdipackaging.com](mailto:solutions@sdipackaging.com)

[facebook.com/SDIPackaging](https://facebook.com/SDIPackaging)

[linkedin.com/company/SDIPackaging](https://linkedin.com/company/SDIPackaging)

### To order

By phone: 1 866 533-3939

By fax: 1 514 352-7745

By e-mail: [order@sdipackaging.com](mailto:order@sdipackaging.com)

Our site: <http://sdipackaging.com/product/PP48x40-18A/?lang=en>



Contact us if you need help selecting the best pallet for your need.

1 866 533-3939 • [solutions@sdipackaging.com](mailto:solutions@sdipackaging.com)

<sup>1</sup> Pallet specifications come from the manufacturers and are based on practical experience. They are valid for standardized and uniformly distributed loads. Capacities may be less depending on conditions of use. It is the user's responsibility to ensure that the pallet meets their specific requirements.

<sup>2</sup> Common uses are listed for example only. They are based on the characteristics of the pallet and the common use of similar pallets. Certain factors could prevent or allow certain applications depending on the conditions of use.

<sup>3</sup> Different standardization bodies establish several criteria for pallets, including length, width, weight, load capacity, etc. The various standards mentioned above only refers to the length and width of the pallet and are used for comparison purposes only. The terms "ISO Pallets", "EURO Dimensions" "EURO Pallet" and "GMA Pallet" are commonly used in the pallet manufacturing industry to refer to length and width. This does not necessarily mean that they are certified by one or more of these organizations.

<sup>4</sup> The Food and Drug Administration (FDA) does not certify pallets. It provides manufacturing guidelines to ensure pallets are made from materials approved for food contact. A pallet manufactured following these guidelines is considered FDA approved.